



|                                                |                                    |                                      |              |           |
|------------------------------------------------|------------------------------------|--------------------------------------|--------------|-----------|
| Patient ID<br>SA00084682                       | Patient Name<br>SAMPLEREPORT, ATTI | Birth Date<br>1989-01-20             | Gender<br>M  | Age<br>28 |
| Order Number<br>SA00084682                     | Client Order Number<br>SA00084682  | Ordering Physician<br>CLIENT, CLIENT | Report Notes |           |
| Account Information<br>C7028846 DLMP Rochester |                                    | Collected<br>25 Jan 2017 13:00       |              |           |

## Antithrombin Antigen, P

| Result Name                                                                                                                                                                                           | Value          | Unit | Reference Value | Performing Site                                                                         |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|------|-----------------|-----------------------------------------------------------------------------------------|
| <br> <b>Antithrombin Antigen, P</b> | <b>&gt;125</b> | %    | 80–120          |  MCR |
| Note: Increased antithrombin antigen is of unknown hemostatic significance.                                                                                                                           |                |      |                 |                                                                                         |

Received: 26 Jan 2017 13:59

Reported: 26 Jan 2017 14:16

### Laboratory Notes

-  This test has been modified from the manufacturer's instructions. Its performance characteristics were determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

### Performing Site Legend

| Code | Laboratory                                       | Address                                  | Lab Director                | CLIA Certificate |
|------|--------------------------------------------------|------------------------------------------|-----------------------------|------------------|
| MCR  | Mayo Clinic Laboratories - Rochester Main Campus | 200 First Street SW, Rochester, MN 55905 | William G. Morice M.D. Ph.D | 24D0404292       |