

|                                                       |                                                     |                                            |                 |                  |
|-------------------------------------------------------|-----------------------------------------------------|--------------------------------------------|-----------------|------------------|
| Patient ID<br><b>SA00142340</b>                       | Patient Name<br><b>SAMPLEREPORT, FG4FP ABNORMAL</b> | Birth Date<br><b>1963-10-26</b>            | Sex<br><b>M</b> | Age<br><b>57</b> |
| Order Number<br><b>SA00142340</b>                     | Client Order Number<br><b>SA00142340</b>            | Ordering Physician<br><b>CLIENT,CLIENT</b> | Report Notes    |                  |
| Account Information<br><b>C7028846 DLMP Rochester</b> |                                                     | Collected<br><b>15 Feb 2021 00:00</b>      |                 |                  |

## IgG4 Food Panel VIII

### Corn IgG4

&gt;30.00 mcg/mL

Y165

### Egg White IgG4

&gt;30.00 mcg/mL

Y165

### Milk Cow IgG4

&gt;12.00 mcg/mL

Y165

### Peanut IgG4

&gt;30.00 mcg/mL

Y165

### Soybean IgG4

&gt;30.00 mcg/mL

Y165

### Wheat IgG4

&gt;30.00 mcg/mL

Y165

Reference ranges have not been established for food-specific IgG4 tests. The clinical utility of food-specific IgG4 tests has not been clearly established. These tests can be used in special clinical situations to select foods for evaluation by diet elimination and challenge in patients who have food-related complaints, and to evaluate food allergic patients prior to food challenges. The presence of food-specific IgG4 alone has been studied in response to various oral food immunotherapy treatments but cutoffs have not been established. \*This test was developed and its performance characteristics determined by Eurofins Viracor. It has not been cleared or approved by the U.S. Food and Drug Administration.

Received: 16 Feb 2021 09:21

Reported: 16 Feb 2021 16:59

### Performing Site Legend

| Code | Laboratory       | Address                                | Lab Director | CLIA Certificate |
|------|------------------|----------------------------------------|--------------|------------------|
| Y165 | Eurofins Viracor | 18000 W. 99th Street, Lenexa, KS 66219 |              |                  |