

Patient ID SA00147346	Patient Name TESTING, CDAU7	Birth Date 1990-08-08	Gender F	Age 31
Order Number SA00147346	Client Order Number SA00147346	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 16 Aug 2021 08:00		

Confirmed Drug Abuse Panel 9, U

Alcohol

Negative mg/dL

SDL

Reference Value
Cutoff: 10

Amphetamines

Negative ng/mL

SDL

Reference Value
Cutoff: 500

Barbiturates

Negative ng/mL

SDL

Reference Value
Cutoff: 200

Benzodiazepines

Negative ng/mL

SDL

Reference Value
Cutoff: 100

Cocaine

Negative ng/mL

SDL

Reference Value
Cutoff: 150

This cocaine immunoassay targets benzoylecgonine the primary metabolite of cocaine.

Methadone metabolite

Negative ng/mL

SDL

Reference Value
Cutoff: 300

Opiates

Negative ng/mL

SDL

Reference Value
Cutoff: 300

Phencyclidine

Negative ng/mL

SDL

Reference Value
Cutoff: 25

Tetrahydrocannabinol

Negative ng/mL

1 SDL

Reference Value
Cutoff: 50

This immunoassay targets delta-9 tetrahydrocannabinol carboxylic acid (THC-COOH), a metabolite of delta-9 tetrahydrocannabinol the main psychoactive ingredient of marijuana.

ADDITIONAL INFORMATION

This report is intended for use in clinical monitoring or management of patients. It is not intended for use in employment-related testing.

Received: 17 Aug 2021 10:26

Reported: 17 Aug 2021 11:17

Laboratory Notes

- 1 This test has been modified from the manufacturer's instructions. Its performance characteristics were determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592