



Patient ID SA00007070	Patient Name SAMPLEREPORT, ETGR A	Birth Date 1966-09-09	Gender M	Age 49
Order Number SA00007070	Client Order Number SA00007070	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 21 Feb 2016 10:00		

Ethyl Glucuronide Confirmation, U

Ethyl Gluc/Sulfate Interpretation

SDL

Negative.

ADDITIONAL INFORMATION

This report is intended for use in clinical monitoring and management of patients. It is not intended for use in employment-related testing.

Ethyl Glucuronide

SDL

Negative ng/mL

Reference Value
Cutoff: 250

Ethyl Sulfate

SDL

Negative ng/mL

Reference Value
Cutoff: 100

Received: 22 Feb 2016 13:38

Reported: 22 Feb 2016 15:08

Ethyl Glucuronide Scrn w/Reflex, U

Ethyl Glucuronide Screen, U

SDL



Abn

Reference Value
Cutoff: 500

Presumptive Positive ng/mL

Drug confirmation to follow. Presumptive Positive means that the screening method is positive, but the test needs to be run by a confirmatory method.

ADDITIONAL INFORMATION

This report is intended for use in clinical monitoring or management of patients. It is not intended for use in employment-related testing.

Received: 22 Feb 2016 13:38

Reported: 22 Feb 2016 14:43

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592