



Patient ID SA00145091	Patient Name VALIDATION LPALD, ABNORMAL	Birth Date 1992-03-17	Gender F	Age 29
Order Number SA00145091	Client Order Number SA00145091	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 21 Jun 2021 00:00		

Lp(a) and LDL Cholesterol, S

Lp(a) Cholesterol

 5 mg/dL


MCR
Reference Value
<5

LpX

Not detected

MCR
Reference Value
Undetectable

LDL Chol (Beta-Quantification), S

 150 mg/dL


MCR

REFERENCE VALUE

Desirable: <100 mg/dL
Above Desirable: 100–129 mg/dL
Borderline High: 130–159 mg/dL
High: 160–189 mg/dL
Very High: ≥190 mg/dL

LDL-C Corrected for Lp(a)-C

 MCR

 145 mg/dL


Increased Lipoprotein (a) cholesterol. Increased Lp(a) cholesterol has been associated with increased risk for the development of atherothrombotic disease.

REFERENCE VALUE

Desirable: < 100 mg/dL
Above Desirable: 100–129 mg/dL
Borderline High: 130–159 mg/dL
High: 160–189 mg/dL
Very High: ≥ 190 mg/dL

Received: 21 Jun 2021 13:57

Reported: 21 Jun 2021 14:03

Laboratory Notes

-  This test has been modified from the manufacturer's instructions. Its performance characteristics were determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292