



Patient ID SA00179113	Patient Name CTCON, NORMAL	Birth Date 1987-11-25	Sex F	Age 38
Order Number SA00179113	Client Order Number SA00179113	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 01 Feb 2026 08:00		

C trachomatis Confirm, RNA, Varies

SOURCE:

URINE, FIRST VOID

SDL

C trachomatis Confirm, RNA, Varies

Negative

1 SDL

Reference Value
Negative

ADDITIONAL INFORMATION

This report is intended for use in clinical monitoring and management of patients. It is not intended for use in medical-legal applications.

Received: 03 Feb 2026 09:16

Reported: 03 Feb 2026 10:39

Laboratory Notes

- 1 This test has been modified from the manufacturer's instructions. Its performance characteristics were determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55905	Nikola Baumann Ph.D.	24D1040592