



Patient ID SA00180675	Patient Name SAMPLEREPORT, HANGM NORMAL	Birth Date 1981-08-06	Sex M	Age 44
Order Number SA00180675	Client Order Number SA00180675	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 14 Jul 2026 01:01		

Hantavirus IgM/IgG, ELISA, S

Hantavirus IgM, S

Negative

Hantavirus IgG, S

Negative

SDL
Reference Value
Negative

SDL
Reference Value
Negative

Hantavirus IgM/IgG, Interpretation

No antibodies to Hantavirus (Sin Nombre or Andes strains) detected.
False negative results may occur in patients tested too soon following infection or in immunocompromised patients.

1 SDL

Received: 14 Jul 2026 16:16

Reported: 14 Jul 2026 18:00

Laboratory Notes

1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55905	Nikola Baumann Ph.D.	24D1040592