



Patient ID 321	Patient Name IMPLEMENTATION, TEST T	Birth Date 2016-06-05	Sex F	Age 10
Order Number X100532696	Client Order Number X100532696	Ordering Physician 123	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 30 Jun 2026 12:00		

14-3-3 eta, S



0.19 ng/mL

High

1 SDL

Reference Value
<0.19

ADDITIONAL INFORMATION

The use of the 14–3–3 eta biomarker with specific autoantibody tests such as rheumatoid factor (RF) and anticyclic citrullinated peptide (anti-CCP) may improve the sensitivity and specificity for the identification of patients with rheumatoid arthritis (RA). Elevated serum 14–3–3 eta concentrations may be observed in both early and established RA patients.

Received: 02 Jul 2026 08:36

Reported: 02 Jul 2026 08:41

Laboratory Notes

1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55905	Nikola Baumann Ph.D.	24D1040592