



Patient ID SA00180562	Patient Name SAMPLEREPORT, CMSL	Birth Date 1999-09-09	Sex M	Age 26
Order Number SA00180562	Client Order Number SA00180562	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 30 Jun 2026 09:00		

Insulin Analogs, S

Human	SDL Reference Value 2.6–24.9	Lispro	SDL Reference Value Not applicable
<2.5 mIU/mL		<2.5 mIU/mL	
Glargine M1	SDL Reference Value Not applicable	Glulisine	SDL Reference Value Not applicable
10.0 mIU/mL		<2.5 mIU/mL	
Glargine M2	SDL Reference Value Not applicable	Aspart	1 SDL Reference Value Not applicable
<2.5 mIU/mL		<2.5 mIU/mL	
		Received: 01 Jul 2026 14:37	Reported: 01 Jul 2026 14:46

Laboratory Notes

1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55905	Nikola Baumann Ph.D.	24D1040592