



Patient ID SA00181202	Patient Name TESTINGRNV, HV2QU N	Birth Date 1970-04-30	Sex F	Age 56
Order Number SA00181202	Client Order Number SA00181202	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 01 Sep 2026 08:00		

HIV-2 RNA Detect / Quant, P

Undetected IU/mL

Result in log IU/mL is Undetected.

HIV-2 RNA is not detected.

ADDITIONAL INFORMATION

This laboratory-developed, real-time PCR assay has a quantification range of 50 to 3,160,000 IU/mL (1.70 log IU/mL to 6.50 log IU/mL).

Received: 01 Sep 2026 12:00

Reported: 01 Sep 2026 14:16

1 SDL

Reference Value
Undetected

Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55905	Nikola Baumann Ph.D.	24D1040592