



Patient ID SA00181203	Patient Name TESTINGRNA, HV2QU AB	Birth Date 1960-10-15	Sex M	Age 65
Order Number SA00181203	Client Order Number SA00181203	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 01 Sep 2026 09:00		

HIV-2 RNA Detect / Quant, P



5000 IU/mL

Abn

Result in log IU/mL is 3.70.

1 SDL

Reference Value
Undetected

ADDITIONAL INFORMATION

This laboratory-developed, real-time PCR assay has a quantification range of 50 to 3,160,000 IU/mL (1.70 log IU/mL to 6.50 log IU/mL).

Received: 01 Sep 2026 13:15

Reported: 01 Sep 2026 14:16

Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55905	Nikola Baumann Ph.D.	24D1040592