MAYO CLINIC LABORATORIES

1-800-533-1710

TGSU

Gabapentinoid/Stim HRMS Screen, U

Patient ID	Patient Name		Birth Date	Sex	Age
SA00181630	TESTING, TGSU_NORMAL		2004-06-05	M	22
Order Number	**Client Order Number**	**Ordering Physician**	**Report Notes**		
SA00181630	SA00181630	CLIENT,CLIENT			
Account Information		**Collected**			
C7028846 DLMP Rochester		05 Oct 2026 00:00			

List prescribed stimulants

SDL

NA

ADDITIONAL INFORMATION

Accuracy and completeness of declared medications on reports solely dependent on information submitted by client.

Stimulant Interpretation

1 SDL

Test detected the presence of gabapentin. Suspect use of gabapentin in the past 2–4 days.

Test detected the presence of pregabalin. Suspect use of pregabalin in the past 2–6 days.

Drug	Result	Cutoff
⚠ Abn **Gabapentin** *Neurontin, Horizant, Gralise*	**Present**	500 ng/mL
⚠ Abn **Pregabalin** *Lyrica or Lyrica CR*	**Present**	500 ng/mL
Methamphetamine *Desoxyn*	Not Detected	100 ng/mL
Amphetamine *Dyanavel XR, Adzenys ER, Adderall, Vyvanse; Also a metabolite of methamphetamine*	Not Detected	100 ng/mL
3,4-methylenedioxymethamphetamine (MDMA)	Not Detected	100 ng/mL

Drug	Result	Cutoff
3,4-methylenedioxy-N-ethylamphetamine (MDEA)	Not Detected	100 ng/mL
3,4-methylenedioxyamphetamine (MDA) *Also a metabolite of MDMA and/or MDEA*	Not Detected	100 ng/mL
Ephedrine	Not Detected	100 ng/mL
Pseudoephedrine *Sudafed*	Not Detected	100 ng/mL
Phentermine *Adipex-P, Lomaira, Qsymia*	Not Detected	100 ng/mL
Phencyclidine (PCP)	Not Detected	20 ng/mL
Methylphenidate *Ritalin, Concerta*	Not Detected	20 ng/mL
Ritalinic acid *Metabolite of methylphenidate*	Not Detected	100 ng/mL

Received: 05 Oct 2026 11:45

Reported: 05 Oct 2026 12:01

Test Environment PAINWeb Template

Laboratory Notes

1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55905	Nikola Baumann Ph.D.	24D1040592