MAYO CLINIC LABORATORIES

1-800-533-1710

LIPA1

Lipoprotein(a), Serum

Patient ID	Patient Name		Birth Date	Sex	Age
321	IMPLEMENTATION, TEST LABELS		1973-05-01	F	53
Order Number	**Client Order Number**	**Ordering Physician**	**Report Notes**		
X100544843	X100544843	TESTING,ATLAS			
Account Information		**Collected**			
C7028846 DLMP Rochester		27 Oct 2026 22:00			

Lipoprotein(a), S

MCR

Reference Value
<75

200 nmol/L

High

Lp(a) confers increased risk for coronary disease and aortic stenosis starting at concentrations of 75 nmol/L and greater. Lp(a) ≥125 nmol/L is considered a risk-enhancing factor for cardiovascular disease by several professional societies. Clinician-patient discussion of therapeutic strategy is warranted.

ADDITIONAL INFORMATION

Please notice that Lp(a) values are reported in molar units (nmol/L). These units are recommended by professional society guidelines and expert opinion statements. Measured results and risk thresholds are higher than those generated using mass units (mg/dL). Cardiovascular risk increases starting at 75 nmol/L. Lp(a) ≥125 nmol/L is considered a risk enhancing factor by the American Heart Association.

Received: 28 Oct 2026 11:15 **Reported:** 28 Oct 2026 11:16

Test Environment
Standard Template

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	Nikola Baumann Ph.D.	24D0404292