



Patient ID SA00177420	Patient Name TESTING, RPMPM	Birth Date 2000-01-01	Sex F	Age 25
Order Number SA00177420	Client Order Number SA00177420	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 23 Sep 2025 00:00		

M. pneumoniae Macrolide Resist PCR

Specimen Source

BRONCHOALVEOLAR LAVAGE

MCR

M. pneumoniae Macrolide Resistance

1 MCR



Predicted

Reference Value
Not Predicted

Abn

Semi-Urgent Result.

M. pneumoniae macrolide resistance-associated 23S ribosomal RNA (rRNA) gene mutation (A2063G or A2064G) detected, suggesting macrolide (azithromycin) resistance.

Received: 24 Sep 2025 15:31

Reported: 24 Sep 2025 15:32

Laboratory Notes

1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	Nikola Baumann Ph.D.	24D0404292