

Procainamide and N-acetylprocainamide, Serum

Patient ID SA00122564	Patient Name SAMPLE REPORT, PA	Birth Date 1990-08-08	Gender F	Age 29
Order Number SA00122564	Client Order Number SA00122564	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 29 Aug 2019 08:00		

Procainamide and NAPA, S

Procainamide, S

9.0 mcg/mL

SDL
Reference Value
4.0–10.0

Procainamide + NAPA

1 SDL

23.0 mcg/mL

Received: 30 Aug 2019 14:15

Reported: 30 Aug 2019 14:17

N-acetylprocainamide, S

14.0 mcg/mL

SDL
Reference Value
12.0–18.0

Laboratory Notes

- 1** This test has been modified from the manufacturer's instructions. Its performance characteristics were determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592