MAYO CLINIC LABORATORIES

1-800-533-1710

**PA**

Procainamide and N-Acetylprocainamide, Serum

| Patient ID | Patient Name | | Birth Date | Sex | Age |
|---|---|---|---|---|---|
| SAMPLE | PATIENT, TEST | | 1976-05-19 | M | 50 |
| **Order Number** | **Client Order Number** | **Ordering Physician** | **Report Notes** | | |
| SAMPLE | SAMPLE | SAMPLE | Sample Report | | |
| **Account Information** | | **Collected** | | | |
| SAMPLE | | 28 Oct 2026 09:51 | | | |

## Procainamide and NAPA, S

**Procainamide, S** — SDL

4.0 mcg/mL

**Reference Value**
4.0–10.0

**N-acetylprocainamide, S** — SDL

12.00 mcg/mL

**Reference Value**
12.00–18.00

**Procainamide + NAPA** — SDL

16.00 mcg/mL

**Received:** 29 Oct 2026 09:46

**Reported:** 29 Oct 2026 09:51

Test Environment
Standard Template

**Performing Site Legend**

| Code | Laboratory | Address | Lab Director | CLIA Certificate |
|---|---|---|---|---|
| SDL | Mayo Clinic Laboratories - Rochester Superior Drive | 3050 Superior Drive NW, Rochester MN 55905 | Nikola Baumann Ph.D. | 24D1040592 |