



Patient ID SA00153788	Patient Name TESTINGRNV, REPORTS	Birth Date 1987-05-06	Sex F	Age 35
Order Number SA00153788	Client Order Number SA00153788	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 21 Jul 2022 12:01		

Renal Function Panel, S

Potassium, S

4.5 mmol/L

MCR

Reference Value
3.6–5.2

Bicarbonate, S

25 mmol/L

MCR

Reference Value
22–29

Sodium, S

135 mmol/L

MCR

Reference Value
135–145

Anion Gap

10

MCR

Reference Value
7–15

Chloride, S

100 mmol/L

MCR

Reference Value
98–107

Bld Urea Nitrog (BUN), S

10 mg/dL

MCR

Reference Value
6–21

Creatinine with eGFR, S

Creatinine, S

1.00 mg/dL

MCR

Reference Value
0.59–1.04

Estimated GFR (eGFR)

74 mL/min/BSA

MCR

Reference Value
≥60

Estimated GFR calculated using the 2021
CKD_EPI creatinine equation.

Calcium, Total, S

9.5 mg/dL

MCR

Reference Value
8.6–10.0

Albumin, S

4.5 g/dL

MCR

Reference Value
3.5–5.0

Glucose, Random, S

100 mg/dL

MCR

Reference Value
70–140

Phosphorus (Inorganic), S

4.0 mg/dL

MCR

Reference Value
2.5–4.5

Received: 21 Jul 2022 13:32

Reported: 21 Jul 2022 13:33

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292