

Patient ID SA00155517	Patient Name PVLE, TEST	Birth Date 1984-08-18	Sex M	Age 38
Order Number SA00155517	Client Order Number SA00155517	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 23 Nov 2022 05:00		

CRMP-5-IgG Titer, S

Result Name	Result	Unit	Reference Value	Performing Site
 CRMP-5-IgG Titer, S High	Positive 1:480	titer	<1:240	1 MCR

Received: 23 Nov 2022 16:17

Reported: 25 Nov 2022 09:37

CRMP-5-IgG Western Blot, S

Result Name	Result	Unit	Reference Value	Performing Site
 CRMP-5-IgG Western Blot, S High	Positive		Negative	1 MCR

Received: 23 Nov 2022 16:17

Reported: 25 Nov 2022 10:31

Paraneoplastic Vision Loss Eval, S

Paraneoplas Vision Loss Interp, S

The following antibody was identified: Collapsin Response-Mediator Protein-5 (by immunofluorescence and western blot). * Seropositivity is consistent with a diagnosis of paraneoplastic retinitis or ophthalmitis. Considerations include small cell carcinoma, pulmonary or extrapulmonary. *

MCR

IFA Notes

None.

MCR

Result Name	Result	Unit	Reference Value	Performing Site
 CRMP-5-IgG, S Abn	Reactive		Negative	1 MCR

Tissue based immunofluorescence screening was reactive, confirmation by antigen-specific reflex to follow. A reactive result indicates an immunofluorescence pattern suggestive of this antibody specificity, but confirmatory testing is necessary before being finalized.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292



Patient ID SA00155517	Patient Name PVLE, TEST	Birth Date 1984-08-18	Sex M	Age 38
Order Number SA00155517	Client Order Number SA00155517	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 23 Nov 2022 05:00		

Result Name	Result	Unit	Reference Value	Performing Site
Recoverin Immunoblot, S	Negative		Negative	1 MCR

Received: 23 Nov 2022 16:17

Reported: 25 Nov 2022 10:30

Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292