



Patient ID SA00139883	Patient Name VALIDATION BA48F, ABNORMAL	Birth Date 1992-03-17	Gender F	Age 28
Order Number SA00139883	Client Order Number SA00139883	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 22 Oct 2020 00:00		

Bile Acids, Bowel Dysfunc, 48 Hr, F

Bile Acids, % CDCA + CA, F



High

10.0 % total

MCR

Reference Value
≤9.7

Bile acid (BA) malabsorption is suspected when total BA is > 2337 mcmol/48hr, OR primary BA (%CA + CDCA) is > 10%, OR total BA is > 1,000 mcmol/48hr + primary BA is >4%

Total Bile Acids, F

MCR

Reference Value
≤2619

2549 mcmol/48h

Bile acid (BA) malabsorption is suspected when total BA is > 2337 mcmol/48hr, OR primary BA (%CA + CDCA) is > 10%, OR total BA is > 1,000 mcmol/48hr + primary BA is >4%

Stool Weight

1 MCR

383 g

Received: 22 Oct 2020 09:35

Reported: 22 Oct 2020 09:50

Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292