



Patient ID J0001540	Patient Name REPORT, ABNORMAL CSFME	Birth Date 1999-03-11	Sex F	Age 26
Order Number J0001540	Client Order Number J0001540	Ordering Physician	Report Notes	
Account Information C7028845 DLMP Jacksonville		Collected 11 Mar 2025 04:00		

Meningitis Encephalitis Panel, PCR

Specimen Source

CEREBROSPINAL FLUID

MCF

Escherichia coli K1



Positive



Critical Result

MCF

Reference Value
Negative

Haemophilus influenzae



Positive



Critical Result

MCF

Reference Value
Negative

Listeria monocytogenes



Positive



Critical Result

MCF

Reference Value
Negative

Neisseria meningitidis



Positive



Critical Result

MCF

Reference Value
Negative

Streptococcus agalactiae



Positive



Critical Result

MCF

Reference Value
Negative

Streptococcus pneumoniae



Positive



Critical Result

MCF

Reference Value
Negative

Cytomegalovirus



Positive



Critical Result

MCF

Reference Value
Negative

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCF	Mayo Clinic Jacksonville Clinical Lab	4500 San Pablo Rd, Jacksonville, FL 32224	Jeffrey Dlott MD	10D0269502



Patient ID J0001540	Patient Name REPORT, ABNORMAL CSFME	Birth Date 1999-03-11	Sex F	Age 26
Order Number J0001540	Client Order Number J0001540	Ordering Physician	Report Notes	
Account Information C7028845 DLMP Jacksonville		Collected 11 Mar 2025 04:00		

Enterovirus  Abn Positive Semi-Urgent Result.	MCF Reference Value Negative	Human parechovirus  Crit Positive Critical Result	MCF Reference Value Negative
Herpes simplex virus 1  Crit Positive Critical Result	MCF Reference Value Negative	Varicella zoster virus  Abn Positive Semi-Urgent Result.	MCF Reference Value Negative
Herpes simplex virus 2  Crit Positive Critical Result	MCF Reference Value Negative	Cryptococcus neoformans/gattii  Crit Positive Critical Result	MCF Reference Value Negative
Human herpes virus 6  Abn Positive Semi-Urgent Result.	MCF Reference Value Negative	ADDITIONAL INFORMATION This assay is performed using the FDA-cleared FilmArray Meningitis/Encephalitis (ME) Panel (BioFire Diagnostics, Inc.). Received: 11 Mar 2025 10:40 Reported: 11 Mar 2025 10:50	

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCF	Mayo Clinic Jacksonville Clinical Lab	4500 San Pablo Rd, Jacksonville, FL 32224	Jeffrey Dlott MD	10D0269502