

Patient ID SA00079872	Patient Name SAMPLEREPORT, SIIRO	Birth Date 2001-01-01	Gender M	Age 15
Order Number SA00079872	Client Order Number SA00079872	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 06 Oct 2016 12:34		

Sirolimus, B

22.2 ng/mL
High
1 SDL
Reference Value
4.0–20.0 (Trough)

ADDITIONAL INFORMATION

Target steady-state trough concentrations vary depending on the type of transplant, concomitant immunosuppression, clinical/institutional protocols, and time post-transplant. Results should be interpreted in conjunction with this clinical information and any physical signs/symptoms of rejection/toxicity. Testing performed by Liquid Chromatography-Tandem Mass Spectrometry (LC-MS/MS).

Received: 06 Oct 2016 13:13

Reported: 06 Oct 2016 13:32

Laboratory Notes

- 1** This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592