

Patient ID SA00157300	Patient Name SAMPLE REPORT, FCMVQ A	Birth Date 1974-12-31	Sex F	Age 48
Order Number SA00157300	Client Order Number SA00157300	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 19 Jan 2023 00:00		

CMV Quant PCR
Y104

Detected IU/mL

ADDITIONAL INFORMATION

Not Detected = No virus detected.

Detected = Virus detected.

<1000 IU/mL = Virus detected below the minimum quantitative range.

1000 IU/mL to 1,000,000 IU/mL = Virus detected within quantitative range.

>1,000,000 IU/mL = Virus detected above maximum quantitative range.

This test employs real-time PCR amplification of a Cytomegalovirus-specific conserved genetic target. A

positive result should be coupled with clinical indicators for diagnosis. A "Not detected" result for this assay does not exclude Cytomegalovirus involvement in a disease process.

This test was developed and its performance characteristics determined by the UCH Clinical Laboratory. It has not been cleared or approved by U.S. Food and Drug Administration. The FDA has determined that such clearance or approval is not necessary. This test is used for clinical purposes. It should not be regarded as investigational or for research. This laboratory is certified under the Clinical Laboratory Improvement Amendment of 1988 ("CLIA") as qualified to perform high complexity clinical testing.

Received: 20 Jan 2023 13:59
Reported: 20 Jan 2023 13:59
Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
Y104	University of Colorado Hospital Clinical Laboratory	Clinical Laboratory, 12401 E 17th Ave, Aurora, CO 80045		