

Patient ID SA00145090	Patient Name VALIDATION LPALD, NORMAL	Birth Date 1992-03-17	Gender F	Age 29
Order Number SA00145090	Client Order Number SA00145090	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 21 Jun 2021 00:00		

Lp(a) and LDL Cholesterol, S

Lp(a) Cholesterol

<5 mg/dL

LpX

Not detected

LDL Chol (Beta-Quantification), S

100 mg/dL

REFERENCE VALUE

Desirable: <100 mg/dL

Above Desirable: 100–129 mg/dL

Borderline High: 130–159 mg/dL

High: 160–189 mg/dL

Very High: ≥190 mg/dL

MCR

Reference Value
<5

MCR

Reference Value
Undetectable

MCR

LDL-C Corrected for Lp(a)-C

1 MCR

100 mg/dL

Lp(a)-C is undetectable, therefore measured LDL-C and corrected LDL-C are equivalent.

REFERENCE VALUE

Desirable: < 100 mg/dL

Above Desirable: 100–129 mg/dL

Borderline High: 130–159 mg/dL

High: 160–189 mg/dL

Very High: ≥ 190 mg/dL

Received: 21 Jun 2021 13:56

Reported: 21 Jun 2021 14:02

Laboratory Notes

- 1 This test has been modified from the manufacturer's instructions. Its performance characteristics were determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292