



Patient ID SA00153789	Patient Name TESTINGRNA, REPORTS	Birth Date 1965-07-08	Sex F	Age 57
Order Number SA00153789	Client Order Number SA00153789	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 21 Jul 2022 12:02		

Renal Function Panel, S

Potassium, S

 5.8 mmol/L
High

MCR
Reference Value
3.6–5.2

Bicarbonate, S

 45 mmol/L
High

MCR
Reference Value
22–29

Sodium, S

 156 mmol/L
High

MCR
Reference Value
135–145

Anion Gap

Unable to calculate.

MCR
Reference Value
7–15

Chloride, S

 120 mmol/L
High

MCR
Reference Value
98–107

Bld Urea Nitrogen (BUN), S

 60 mg/dL
High

MCR
Reference Value
6–21

Creatinine with eGFR, S

Creatinine, S

 6.00 mg/dL
High

MCR
Reference Value
0.59–1.04

Estimated GFR (eGFR)

 <15 mL/min/BSA
Low
Estimated GFR calculated using the 2021
CKD_EPI creatinine equation.

MCR
Reference Value
≥60

Calcium, Total, S

 10.5 mg/dL
High

MCR
Reference Value
8.6–10.0

Albumin, S

 10.0 g/dL
High

MCR
Reference Value
3.5–5.0

Glucose, Random, S

 150 mg/dL
High

MCR
Reference Value
70–140

Phosphorus (Inorganic), S

 8.0 mg/dL
High

MCR
Reference Value
2.5–4.5

Received: 21 Jul 2022 13:31

Reported: 21 Jul 2022 13:32

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292