

Patient ID SA00125007	Patient Name TESTINGRNV, PLHBB	Birth Date 1987-08-28	Gender F	Age 32
Order Number SA00125007	Client Order Number SA00125007	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 12 Jan 2020 09:50		

Plasma Hemoglobin, P

Result Name	Value	Unit	Reference Value	Performing Site
 Total Plasma Hemoglobin	80.0	mg/dL	0.0–15.2	MCR
This specimen contains methemalbumin. These results may imply intravascular hemolysis or internal hemorrhage.				
 Oxyhemoglobin	72.9	mg/dL	0.0–12.4	① MCR

Received: 13 Jan 2020 11:18

Reported: 13 Jan 2020 11:25

Laboratory Notes

- ① This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292