

Patient ID SA00117613	Patient Name TESTINGRNV, SAMPLEREPORT	Birth Date 1982-06-29	Gender F	Age 36
Order Number SA00117613	Client Order Number SA00117613	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 06 Feb 2019 06:00		

HGEM, S

2-OH Glutaric acid

4.00 nmol/mL

MCR

Reference Value
≤4.5

3-OH Glutaric acid

0.50 nmol/mL

MCR

Reference Value
≤0.7

Glutaric acid

0.40 nmol/mL

MCR

Reference Value
≤0.8

Methylsuccinic acid

<0.21 nmol/mL

MCR

Reference Value
≤0.3

Ethylmalonic acid

1.10 nmol/mL

MCR

Reference Value
≤1.5

Interpretation (HGEMS)

① MCR

NEGATIVE Normal profile.

ADDITIONAL INFORMATION

Liquid Chromatography-Tandem Mass Spectrometry (LC-MS/MS)

Reviewed By

Amy Breitlow

MCR

Received: 07 Feb 2019 06:57

Reported: 07 Feb 2019 07:04

Laboratory Notes

- ① This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292