MAYO CLINIC LABORATORIES

1-800-533-1710

HCVL

Hepatitis C Virus Antibody Confirmation, Serum

Patient ID	Patient Name		Birth Date	Sex	Age
SA00181990	SAMPLEREPORT, HCVL ABNORMAL		1984-04-14	F	42
Order Number	**Client Order Number**	**Ordering Physician**	**Report Notes**		
SA00181990	SA00181990	CLIENT,CLIENT			
Account Information		**Collected**			
C7028846 DLMP Rochester		27 Oct 2026 02:02			

HCV Ab Confirmation, S

[1] SDL

Reference Value
Negative

Positive

Abn

Bands detected: Core, NS3–1, NS3–2, NS4, NS5
HCV RNA testing (HCVQN) is recommended for diagnosis of chronic hepatitis C, if clinically indicated.

Received: 27 Oct 2026 11:51 **Reported:** 27 Oct 2026 12:45

Test Environment Standard Template

Laboratory Notes

[1] This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55905	Nikola Baumann Ph.D.	24D1040592