



Patient ID SA00121495	Patient Name TESTINGRNV, ATLAS-CDSP-ABN-LOWIGA	Birth Date 1995-01-01	Gender F	Age 24
Order Number SA00121495	Client Order Number SA00121495	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 11 Jul 2019 00:00		

Celiac Disease Serology Cascade

Celiac Disease Interpretation

Negative serology. Celiac disease unlikely. However, approximately 10% of patients with celiac disease are seronegative. Also, patients who are already adhering to a gluten-free diet may be seronegative. If celiac disease is highly clinically suspected, consider HLA-DQ typing.

SDL

Immunoglobulin A (IgA), S

 15 mg/dL


SDL

Reference Value
61–356

Received: 11 Jul 2019 16:36

Reported: 11 Jul 2019 16:46

Gliadin(Deamidated) Ab, IgA, S

<10.0 U

SDL

Reference Value
<20.0 (Negative)

Received: 11 Jul 2019 16:44

Reported: 11 Jul 2019 16:45

Gliadin(Deamidated) Ab, IgG, S

<10.0 U

SDL

Reference Value
<20.0 (Negative)

Received: 11 Jul 2019 16:44

Reported: 11 Jul 2019 16:45

Tissue Transglutaminase Ab, IgA, S

3.1 U/mL

SDL

Reference Value
<4.0 (Negative)

Received: 11 Jul 2019 16:44

Reported: 11 Jul 2019 16:45

Tissue Transglutaminase Ab, IgG, S

2.1 U/mL

SDL

Reference Value
<6.0 (Negative)

Received: 11 Jul 2019 16:44

Reported: 11 Jul 2019 16:45

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592