MAYO CLINIC LABORATORIES

1-800-533-1710

RPR11

Resp Profile, Reg 11, Rocky Mt

Patient ID	Patient Name		Birth Date	Gender	Age
SA00000314	SAMPLEREPORT, RPR11		1985-06-10	M	30
Order Number	Client Order Number	Ordering Physician	Report Notes		
SA00000314	SA00000314	CLIENT, CLIENT			
Account Information		Collected			
C7028846 DLMP Rochester		23 Jun 2015 10:00			

Resp Profile, Reg 11, Rocky Mt

Immunoglobulin E (IgE), S SDL

65.0 kU/L

Reference Value
≤ 214

House Dust Mites/D.P., IgE SDL

<0.35 kU/L

Class 0 (Negative <0.35)

House Dust Mites/D.F., IgE SDL

<0.35 kU/L

Class 0 (Negative <0.35)

Cat Epithelium, IgE SDL

<0.35 kU/L

Class 0 (Negative <0.35)

Dog Dander, IgE SDL

<0.35 kU/L

Class 0 (Negative <0.35)

Bermuda Grass, IgE SDL

<0.35 kU/L

Class 0 (Negative <0.35)

Timothy Grass, IgE SDL

<0.35 kU/L

Class 0 (Negative <0.35)

Cockroach, IgE SDL

<0.35 kU/L

Class 0 (Negative <0.35)

Penicillium, IgE SDL

1.00 kU/L

Class 2 (Positive 0.70–3.49)

Cladosporium, IgE SDL

<0.35 kU/L

Class 0 (Negative <0.35)

Aspergillus Fumigatus, IgE SDL

1.00 kU/L

Class 2 (Positive 0.70–3.49)

Alternaria Tenuis, IgE SDL

<0.35 kU/L

Class 0 (Negative <0.35)

Box Eld/Maple, S, IgE SDL

1.00 kU/L

Class 2 (Positive 0.70–3.49)

Grey Alder, IgE SDL

<0.35 kU/L

Class 0 (Negative <0.35)

Mountain Cedar, IgE SDL

1.00 kU/L

Class 2 (Positive 0.70–3.49)

Test Environment
Standard Template

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592

MAYO CLINIC LABORATORIES

Patient ID	Patient Name	Birth Date	Gender	Age
SA00000314	SAMPLEREPORT, RPR11	1985-06-10	M	30

Order Number	Client Order Number	Ordering Physician	Report Notes
SA00000314	SA00000314	CLIENT, CLIENT	

Account Information	Collected
C7028846 DLMP Rochester	23 Jun 2015 10:00

Oak, IgE SDL
<0.35 kU/L
Class 0 (Negative <0.35)

Elm, IgE SDL
1.00 kU/L
Class 2 (Positive 0.70–3.49)

Olive-Tree, IgE SDL
<0.35 kU/L
Class 0 (Negative <0.35)

Cottonwood, IgE SDL
<0.35 kU/L
Class 0 (Negative <0.35)

Mulberry, IgE SDL
<0.35 kU/L
Class 0 (Negative <0.35)

Short Ragweed, IgE SDL
<0.35 kU/L
Class 0 (Negative <0.35)

Mugwort, IgE SDL
<0.35 kU/L
Class 0 (Negative <0.35)

Russian Thistle, IgE SDL
<0.35 kU/L
Class 0 (Negative <0.35)

Rough Pigweed, IgE SDL
<0.35 kU/L
Class 0 (Negative <0.35)

Red Sorrel, IgE SDL
<0.35 kU/L
Class 0 (Negative <0.35)

Received: 24 Jun 2015 13:33 **Reported:** 24 Jun 2015 13:33

Test Environment
Standard Template

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592