



Patient ID SA00140254	Patient Name TESTINGRNV, REPORTS	Birth Date 2010-01-01	Gender F	Age 10
Order Number SA00140254	Client Order Number SA00140254	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 11 Nov 2020 08:00		

Chorionic Gonad Beta-Subunit QN,CSF

1.0 IU/L

1 SDL

Reference Value
≤1.0

ADDITIONAL INFORMATION

The testing method is an electrochemiluminescence assay manufactured by Roche Diagnostics Inc. and performed on the Cobas system.

Values obtained with different assay methods or kits may be different and cannot be used interchangeably.

Test results cannot be interpreted as absolute evidence of the presence or absence of malignant disease.

Human chorionic gonadotropin values are not interpretable in pregnant females for the investigation of malignant disease.

Received: 11 Nov 2020 13:37

Reported: 11 Nov 2020 13:37

Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592