

|                                                       |                                             |                                            |                    |                  |
|-------------------------------------------------------|---------------------------------------------|--------------------------------------------|--------------------|------------------|
| Patient ID<br><b>SA00141976</b>                       | Patient Name<br><b>ATLASREPORT, MGLENEG</b> | Birth Date<br><b>1990-01-01</b>            | Gender<br><b>M</b> | Age<br><b>31</b> |
| Order Number<br><b>SA00141976</b>                     | Client Order Number<br><b>SA00141976</b>    | Ordering Physician<br><b>CLIENT,CLIENT</b> | Report Notes       |                  |
| Account Information<br><b>C7028846 DLMP Rochester</b> |                                             | Collected<br><b>03 Feb 2021 00:00</b>      |                    |                  |

## MG/LEMS Evaluation, S

### MG Lambert-Eaton Interpretation, S

MCR

No informative autoantibodies were detected. A negative result does not exclude the diagnosis of an autoimmune neuromuscular junction disorder.

| Result Name                      | Result | Unit   | Reference Value | Performing Site |
|----------------------------------|--------|--------|-----------------|-----------------|
| ACh Receptor (Muscle) Binding Ab | 0.00   | nmol/L | ≤0.02           | ① MCR           |
| P/Q-Type Calcium Channel Ab      | 0.00   | nmol/L | ≤0.02           | ① MCR           |

Received: 03 Feb 2021 10:28

Reported: 03 Feb 2021 11:13

### MuSK Autoantibody, S

| Result Name          | Result | Unit   | Reference Value | Performing Site |
|----------------------|--------|--------|-----------------|-----------------|
| MuSK Autoantibody, S | 0.00   | nmol/L | 0.00–0.02       | ② MCR           |

Received: 03 Feb 2021 10:28

Reported: 03 Feb 2021 11:12

#### Laboratory Notes

- This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.
- This test was developed using an analyte specific reagent. Its performance characteristics were determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

#### Performing Site Legend

| Code | Laboratory                                       | Address                                  | Lab Director                | CLIA Certificate |
|------|--------------------------------------------------|------------------------------------------|-----------------------------|------------------|
| MCR  | Mayo Clinic Laboratories - Rochester Main Campus | 200 First Street SW, Rochester, MN 55905 | William G. Morice M.D. Ph.D | 24D0404292       |