

Patient ID J0001047	Patient Name TESTING, VHPV	Birth Date 2004-02-03	Sex F	Age 18
Order Number J0001047	Client Order Number J0001047	Ordering Physician	Report Notes	
Account Information C7028845 DLMP Jacksonville		Collected 29 Dec 2022 00:00		

HPV Vaginal Detect / Genotyping PCR

HPV High Risk type 16, PCR


Positive

Abn

MCF

Reference Value
Negative

HPV High Risk type 18, PCR

Negative

MCF

Reference Value
Negative

HPV other High Risk types, PCR

1 MCF

Negative

Reference Value
Negative

The following Other High Risk HPV types were not detected:

31, 33, 35, 39, 45, 51, 52, 56, 58, 59, 66, and 68

ADDITIONAL INFORMATION

Testing was performed using the cobas HPV assay (Roche Molecular Systems, Inc.).

Received: 29 Dec 2022 09:35

Reported: 29 Dec 2022 09:42

Laboratory Notes

- 1 This test has been modified from the manufacturer's instructions. Its performance characteristics were determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCF	Mayo Clinic Jacksonville Clinical Lab	4500 San Pablo Rd, Jacksonville, FL 32224	Gretchen Johns MD	10D0269502