



|                                                |                                          |                                      |              |           |
|------------------------------------------------|------------------------------------------|--------------------------------------|--------------|-----------|
| Patient ID<br>C7028846-0001951                 | Patient Name<br>VALIDATION, VIP ABNORMAL | Birth Date<br>2002-01-01             | Sex<br>F     | Age<br>22 |
| Order Number<br>M193811569                     | Client Order Number<br>M193811569        | Ordering Physician<br>UNKNOWN,DOCTOR | Report Notes |           |
| Account Information<br>C7028846 DLMP Rochester |                                          | Collected<br>17 Sep 2024 01:00       |              |           |

Vasoactive Intestinal Polypeptide,P



86 pg/mL

High

1 SDL

Reference Value  
<86

ADDITIONAL INFORMATION

Vasoactive intestinal polypeptide is a manual enzyme-linked immunosorbent assay. This test is frequently used as a tumor marker. Values obtained with different assay methods or kits may be different and cannot be used interchangeably. Test results cannot be interpreted as absolute evidence for the presence or absence of malignant disease.

Received: 17 Sep 2024 08:43

Reported: 17 Sep 2024 09:28

Laboratory Notes

1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

| Code | Laboratory                                          | Address                                    | Lab Director         | CLIA Certificate |
|------|-----------------------------------------------------|--------------------------------------------|----------------------|------------------|
| SDL  | Mayo Clinic Laboratories - Rochester Superior Drive | 3050 Superior Drive NW, Rochester MN 55905 | Nikola Baumann Ph.D. | 24D1040592       |