



Patient ID SA00116023	Patient Name TESTINGRNV, ATLAS-CDSP-NORMAL	Birth Date 1995-01-01	Gender F	Age 24
Order Number SA00116023	Client Order Number SA00116023	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 06 Jan 2019 12:00		

Celiac Disease Serology Cascade

Celiac Disease Interpretation

SDL

Negative serology. Celiac disease unlikely. However, approximately 10% of patients with celiac disease are seronegative. Also, patients who are already adhering to a gluten-free diet may be seronegative. If celiac disease is highly clinically suspected, consider HLA-DQ typing.

Immunoglobulin A (IgA), S

SDL

150 mg/dL

Reference Value
61–356

Received: 08 Jan 2019 17:18

Reported: 08 Jan 2019 17:23

Tissue Transglutaminase Ab, IgA, S

SDL

<1.2 U/mL

Reference Value
<4.0 (Negative)

Received: 08 Jan 2019 17:19

Reported: 08 Jan 2019 17:20

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592