

Patient ID SA00142594	Patient Name ABNORMAL, COKEM	Birth Date 2021-02-19	Gender M	Age 2 D
Order Number SA00142594	Client Order Number SA00142594	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 21 Feb 2021 08:00		

Cocaine and Metabolites, Confirm, M

Interpretation

1 SDL

Positive.

ADDITIONAL INFORMATION

Testing performed by Liquid Chromatography-Tandem Mass Spectrometry (LC-MS/MS).

Cocaine

Negative ng/g

SDL
Reference Value
Cutoff: 20

Benzoyllecgonine

SDL

Negative ng/g

Reference Value
Cutoff: 20

Cocaethylene

SDL

20 ng/g

Reference Value
Cutoff: 20

m-Hydroxybenzoyllecgonine

SDL

Negative ng/g

Reference Value
Cutoff: 20

Received: 22 Feb 2021 12:06

Reported: 22 Feb 2021 12:40

Laboratory Notes

- 1** This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592