MAYO CLINIC LABORATORIES

1-800-533-1710

Patient ID	Patient Name		Birth Date	Sex	Age
SAMPLE	PATIENT, TEST		1976-05-19	M	50
Order Number	**Client Order Number**	**Ordering Physician**	**Report Notes**		
SAMPLE	SAMPLE	SAMPLE	Sample Report		
Account Information		**Collected**			
SAMPLE		08 Jun 2026 13:39			

Adulterants Survey, CoC, U

Oxidants SDL

Positive

Reference Value
Cutoff: 200 mg/L

Creatinine, U SDL

123.4 mg/dL

Specific Gravity SDL

1.004

pH SDL

6.6

Nitrites SDL

Negative

Reference Value
Cutoff: 500 mg/L

Comment SDL

Normal

Received: 09 Jun 2026 13:34 **Reported:** 09 Jun 2026 13:39

Test Environment
Standard Template

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55905	Nikola Baumann Ph.D.	24D1040592

Patient ID	Patient Name		Birth Date	Sex	Age
SAMPLE	PATIENT, TEST		1976-05-19	M	50
Order Number	**Client Order Number**	**Ordering Physician**	**Report Notes**		
SAMPLE	SAMPLE	SAMPLE	Sample Report		
Account Information		**Collected**			
SAMPLE		08 Jun 2026 13:39			

Confirmed Drug Abuse Panel9, CoC, U

Alcohol

SDL

Negative ng/mL

Reference Value
Cutoff: 10

Amphetamines

SDL

Negative ng/mL

Reference Value
Cutoff: 500

Barbiturates

SDL

Negative ng/mL

Reference Value
Cutoff: 200

Benzodiazepines

SDL

Negative ng/mL

Reference Value
Cutoff: 100

Cocaine

SDL

Negative ng/mL

Reference Value
Cutoff: 150

This cocaine immunoassay targets benzoylecgonine the primary metabolite of cocaine.

Methadone metabolite

SDL

Negative ng/mL

Reference Value
Cutoff: 300

Opiates

SDL

Negative ng/mL

Reference Value
Cutoff: 300

Phencyclidine

SDL

Negative ng/mL

Reference Value
Cutoff: 25

Tetrahydrocannabinol

SDL

Negative ng/mL

Reference Value
Cutoff: 50

This immunoassay targets delta-9 tetrahydrocannabinol carboxylic acid (THC-COOH), a metabolite of delta-9 tetrahydrocannabinol the main psychoactive ingredient of marijuana.

Chain of Custody

SDL

Chain of custody documents are on file in the Mayo Toxicology Laboratory.

ADDITIONAL INFORMATION

This report is intended for use in clinical monitoring or management of patients. It is not intended for use in employment-related testing.

Received: 09 Jun 2026 13:34 **Reported:** 09 Jun 2026 13:39

Test Environment
Standard Template

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55905	Nikola Baumann Ph.D.	24D1040592