



Patient ID 321	Patient Name IMPLEMENTATION, TEST T	Birth Date 1973-05-01	Sex F	Age 51
Order Number X100478721	Client Order Number X100478721	Ordering Physician UNKNOWN, PROVIDER	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 07 Oct 2024 10:00		

Chlam/Gono RNA, SelfCollect, Throat

C trach, RNA, SelfCollect, Throat

Chlamydia trachomatis amplified RNA



Positive

Abn

1 SDL

Reference Value
Negative

ADDITIONAL INFORMATION

This report is intended for use in clinical monitoring and management of patients. It is not intended for use in medical-legal applications.

N gonor, RNA, SelfCollect, Throat

Neisseria gonorrhoeae amplified RNA



Positive

Abn

1 SDL

Reference Value
Negative

ADDITIONAL INFORMATION

This report is intended for use in clinical monitoring and management of patients. It is not intended for use in medical-legal applications.

Received: 15 Oct 2024 11:11

Reported: 15 Oct 2024 12:19

Laboratory Notes

- 1 This test has been modified from the manufacturer's instructions. Its performance characteristics were determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55905	Nikola Baumann Ph.D.	24D1040592