



Patient ID SA00164203	Patient Name TESTINGRNV, CTDC-ABN	Birth Date 1995-01-01	Sex F	Age 28
Order Number SA00164203	Client Order Number SA00164203	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 23 Oct 2023 00:00		

dsDNA Ab, IgG, S



151 IU/mL

High

Interpretation: Positive (≥ 100)

A positive result for anti-double stranded DNA (anti-dsDNA) IgG antibody in the context of antinuclear antibody positivity, specific clinical features and laboratory tests is a diagnostic criterion of systemic lupus erythematosus (SLE).

SDL

Reference Value
<100 (Negative)

ANA2 Cascade

Interpretation

SDL

Consistent with lupus erythematosus.

Received: 23 Oct 2023 14:12

Reported: 23 Oct 2023 14:13

Received: 23 Oct 2023 14:12

Reported: 23 Oct 2023 14:13

Centromere Ab, IgG, S

<0.2 U

SDL

Reference Value
<1.0 (Negative)

Received: 23 Oct 2023 14:12

Reported: 23 Oct 2023 14:13

Connective Tissue Disease Cascade, S

Antinuclear Ab, S



4.1 U

High

Interpretation: Positive (3.0–5.9)

ADDITIONAL INFORMATION

Method: Enzyme-linked immunoassay using HEp-2 nuclear extract supplemented with purified antigens.

SDL

Reference Value
 ≤ 1.0 (Negative)

Cyclic Citrullinated Peptide Ab, S

<15.6 U

SDL

Reference Value
<20.0 (Negative)

Received: 23 Oct 2023 14:10

Reported: 23 Oct 2023 14:12

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55905	William G. Morice M.D. Ph.D.	24D1040592

Patient ID SA00164203	Patient Name TESTINGRNV, CTDC-ABN	Birth Date 1995-01-01	Sex F	Age 28
Order Number SA00164203	Client Order Number SA00164203	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 23 Oct 2023 00:00		

Ab to Extractable Nuclear Ag Eval,S

SS-A/Ro Ab, IgG, S


2.0 U
High

Interpretation: Positive (≥1.0)

SDL

 Reference Value
<1.0 (Negative)

RNP Ab, IgG, S

<0.2 U

SDL

 Reference Value
<1.0 (Negative)

Scl 70 Ab, IgG, S

<0.2 U

SDL

 Reference Value
<1.0 (Negative)

Jo 1 Ab, IgG, S

<0.2 U

SDL

 Reference Value
<1.0 (Negative)

Received: 23 Oct 2023 14:12
Reported: 23 Oct 2023 14:13

SS-B/La Ab, IgG, S

<0.2 U

SDL

 Reference Value
<1.0 (Negative)

Sm Ab, IgG, S

<0.2 U

SDL

 Reference Value
<1.0 (Negative)

Ribosome P Ab, IgG, S

<0.2 U

SDL

 Reference Value
<1.0 (Negative)

Received: 23 Oct 2023 14:12
Reported: 23 Oct 2023 14:13

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55905	William G. Morice M.D. Ph.D.	24D1040592