

Patient ID SA00155161	Patient Name TESTING, CDAU7	Birth Date 1990-08-08	Sex F	Age 32
Order Number SA00155161	Client Order Number SA00155161	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 06 Nov 2022 08:00		

Confirmed Drug Abuse Panel 9, U

Tetrahydrocannabinol



Presumptive Positive ng/mL

This immunoassay targets delta-9 tetrahydrocannabinol carboxylic acid (THC-COOH), a metabolite of delta-9 tetrahydrocannabinol the main psychoactive ingredient of marijuana. Drug confirmation to follow. Presumptive Positive means that the screening method is positive, but the test needs to be run by a confirmatory method before being finalized.

ADDITIONAL INFORMATION

This report is intended for use in clinical monitoring or management of patients. It is not intended for use in employment-related testing.

Alcohol

Negative mg/dL

Amphetamines

Negative ng/mL

Barbiturates

Negative ng/mL

1 SDL

Reference Value
Cutoff: 50

SDL

Reference Value
Cutoff: 10

SDL

Reference Value
Cutoff: 500

SDL

Reference Value
Cutoff: 200

Benzodiazepines

Negative ng/mL

SDL

Reference Value
Cutoff: 100

Cocaine

Negative ng/mL

SDL

Reference Value
Cutoff: 150

This cocaine immunoassay targets benzoylecgonine the primary metabolite of cocaine.

Methadone metabolite

Negative ng/mL

SDL

Reference Value
Cutoff: 300

Opiates

Negative ng/mL

SDL

Reference Value
Cutoff: 300

Phencyclidine

Negative ng/mL

SDL

Reference Value
Cutoff: 25

Received: 07 Nov 2022 14:48

Reported: 07 Nov 2022 15:34

Carboxy-THC Confirmation, U

Carboxy-THC Interpretation

Positive.

2 SDL

ADDITIONAL INFORMATION

This report is intended for use in clinical monitoring and management of patients. It is not intended for use in employment-related testing.

Delta-8 Carboxy-Tetrahydrocannabinol by LC-MS/MS

Not Detected ng/mL

SDL

Reference Value
Cutoff: 5

Delta-9 Carboxy-Tetrahydrocannabinol by LC-MS/MS

5 ng/mL

SDL

Reference Value
Cutoff: 5

Received: 07 Nov 2022 14:48

Reported: 07 Nov 2022 15:37

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D.	24D1040592



Patient ID SA00155161	Patient Name TESTING, CDAU7	Birth Date 1990-08-08	Sex F	Age 32
Order Number SA00155161	Client Order Number SA00155161	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 06 Nov 2022 08:00		

Test
Environment
Standard Template

Laboratory Notes

- 1 This test has been modified from the manufacturer's instructions. Its performance characteristics were determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.
- 2 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D.	24D1040592