



|                                                |                                    |                                     |              |           |
|------------------------------------------------|------------------------------------|-------------------------------------|--------------|-----------|
| Patient ID<br>SA00176955                       | Patient Name<br>TESTINGRNV, BTP AB | Birth Date<br>1969-10-15            | Sex<br>M     | Age<br>55 |
| Order Number<br>SA00176955                     | Client Order Number<br>SA00176955  | Ordering Physician<br>CLIENT,CLIENT | Report Notes |           |
| Account Information<br>C7028846 DLMP Rochester |                                    | Collected<br>22 Aug 2025 07:00      |              |           |

Beta-Trace Protein, BF



10 mg/L

High

Consistent with the presence of cerebrospinal fluid

1 SDL

Reference Value  
<5

Received: 22 Aug 2025 10:24

Reported: 22 Aug 2025 13:04

Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

| Code | Laboratory                                          | Address                                    | Lab Director         | CLIA Certificate |
|------|-----------------------------------------------------|--------------------------------------------|----------------------|------------------|
| SDL  | Mayo Clinic Laboratories - Rochester Superior Drive | 3050 Superior Drive NW, Rochester MN 55905 | Nikola Baumann Ph.D. | 24D1040592       |