

Patient Name TEST,IMPLEMENTATION TESTING	Patient ID 321	Age 36	Gender	Order # R1056643
Ordering Phys unknown				DOB 02/15/1976
Client Order # R1056643	Account Information C7028845-DLMP JACKSONVILLE SDSC 2 - CLIENT SUPPORT Rochester, MN 55901			Report Notes
Collected 11/27/2012 13:00				
Printed 12/18/2012 14:46				

Test	Flag	Results	Unit	Reference Value	Perform Site*
------	------	---------	------	-----------------	---------------

Beta-HCG, Quantitative, S		1.0		REPORTED 11/27/2012 15:32	
-- REFERENCE VALUE --			IU/L		MCF

Females:

<1.0 (Premenopausal
non-pregnant)
<7.0 (Postmenopausal)

Males:

<1.4

The testing method is an electrochemiluminescence assay manufactured by Roche Diagnostic, Inc, and performed on the Cobas.

Values obtained with different assay methods or kits may be different and cannot be used interchangeably.

Test results cannot be interpreted as absolute evidence for the presence or absence of malignant disease.

* Performing Site:

MCF	Mayo Clinic Jacksonville Clinical Lab 4500 San Pablo Road Jacksonville, FL 32224	Lab Director: Gretchen Johns, M.D.
-----	---	------------------------------------

Patient Name TEST,IMPLEMENTATION TESTING	Collection Date and Time 11/27/2012 13:00	Report Status Final
Page 1 of 1	** Reprinted **	** End of Report **

* Report times for Mayo performed tests are CST/CDT