



Patient ID SA00955021	Patient Name SAMPLEREPORT, FWARP N	Birth Date 1994-04-09	Sex F	Age 27
Order Number SA00955021	Client Order Number SA00955021	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 03 Apr 2022 13:00		

Warfarin, Plasma

Warfarin

Y082

None Detected mcg/mL

Reporting Limit: 0.20 mcg/mL

Synonym(s): Coumadin(R)

The dosage of warfarin is best adjusted based on the International Normalized Ratio (INR) for prothrombin time. Peak plasma concentrations following single 10 mg doses averaged 0.6 mcg/mL for both R-warfarin and S-warfarin (combined concentration 1.2 mcg/mL).

This test is not chiral specific and does not distinguish between the R and S enantiomers of warfarin. The blood to plasma ratio is approximately 0.5.

Analysis by High Performance Liquid Chromatography/Tandem Mass Spectrometry (LC-MS/MS)

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.

Received: 04 Apr 2022 08:40

Reported: 04 Apr 2022 09:28

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
Y082	NMS Labs	200 Welsh Road, Horsham, PA 190442208		