

Patient ID SA00154415	Patient Name NORMAL, DCLNG	Birth Date 1987-11-25	Sex F	Age 34
Order Number SA00154415	Client Order Number SA00154415	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 12 Sep 2022 08:00		

Dilated Cardiomyopathy/LVNC Panel

Interpretation

MCR

This result decreases the likelihood but does not rule out the involvement of the genes evaluated in this panel.

Individuals may have a pathogenic variant in one of the interrogated genes that is not detectable by the methods utilized. Additionally, the clinical phenotype that is observed in this individual and/or family may be due to a pathogenic variant or variants in another gene not targeted by this test.

This result should be interpreted in the context of clinical findings, family history, and other laboratory testing.

A genetic consultation may be of benefit.

Result Summary

MCR

Negative

Result

MCR

No reportable variants were detected.

Test Description

MCR

Evaluation of 63 genes associated with hereditary forms of dilated cardiomyopathy and left ventricular noncompaction

Specimen

MCR

DNA (ul)

Method

MCR

Next generation sequencing (NGS) and/or Sanger sequencing was performed to test for the presence of variants in coding regions and intron/exon boundaries of the genes analyzed, as well as some other regions that have known pathogenic variants. The human genome reference GRCh37/hg19 build was used for sequence read alignment. At least 99% of the bases are covered at a read depth over 30X. Sensitivity is estimated at above 99% for single nucleotide variants, above 94% for indels less than 40

base pairs (bp), above 95% for deletions up to 75 bp and insertions up to 47 bp. NGS, and/or a polymerase chain reaction (PCR)-based quantitative method was performed to test for the presence of deletions and duplications in the genes analyzed. See the Genes Analyzed field for a list of genes tested.

There may be regions of genes that cannot be effectively evaluated for sequencing or deletion and duplication analysis as a result of technical limitations of the assay, including regions of homology, high GC content, and repetitive sequences. Confirmation of select reportable variants was performed by alternate methodologies based on internal laboratory criteria. See www.mayocliniclabs.com (TEST ID DCLNG) for details regarding genes with regions not routinely covered.

Genes Analyzed

MCR

ABCC9, ACAD9, ACADVL, ACTC1, ACTN2, ALMS1, ALPK3, BAG3, CDH2, CPT2, CRYAB, CSRP3, DES, DMD, DNAJC19, DOLK, DSC2, DSG2, DSP, EMD, FKRP, FKTN, FLNC, GAA, GLA, HCN4, JPH2, JUP, LAMP2, LMNA, MYBPC3, MYH7, MYLK3, MYPN, NEXN, NKX2-5, PCCA, PCCB, PKP2, PLN, PPA2, PPCS, PRDM16, RAF1, RBM20, RYR2, SCN5A, SGCD, SHOC2, SLC22A5, TAZ (TAFAZZIN), TBX20, TCAP, TMEM43, TMEM70, TNNC1, TNNI3, TNNI3K, TNNT2, TPM1, TTN, TTR and VCL

Disclaimer

1 MCR

Clinical Correlations

An online research opportunity called GenomeConnect (genomeconnect.org), a project of ClinGen, is available for the recipient of this genetic test. This patient registry collects de-identified genetic and health information to advance the knowledge of genetic variants. Mayo Clinic is a collaborator of ClinGen. This may not be applicable for all tests.

If testing was performed because of a clinically significant family history it is often useful to first test an affected family member. Detection of a reportable variant(s) in an affected family member would allow for more informative testing of at risk individuals.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292



Patient ID SA00154415	Patient Name NORMAL, DCLNG	Birth Date 1987-11-25	Sex F	Age 34
Order Number SA00154415	Client Order Number SA00154415	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 12 Sep 2022 08:00		

To discuss the availability of further testing options or for assistance in the interpretation of these results, Mayo Clinic Laboratory genetic counselors can be contacted at 1-800-533-1710.

Technical Limitations

Next generation sequencing may not detect all types of genomic variants. In rare cases, false negative or false positive results may occur. The depth of coverage may be variable for some target regions, but assay performance below the minimum acceptable criteria or for failed regions will be noted. Given these limitations, negative results do not rule out the diagnosis of a genetic disorder. If a specific clinical disorder is suspected, evaluation by alternative methods can be considered.

There may be regions of genes that cannot be effectively evaluated for sequencing or deletion and duplication analysis as a result of technical limitations of the assay, including regions of homology, high GC content, and repetitive sequences. Confirmation of select reportable variants was performed by alternate methodologies based on internal laboratory criteria.

Additionally, low level mosaic variants may not be detected.

This test is not designed to differentiate between somatic and germline variants. If there is a possibility that any detected variant is somatic, additional testing may be necessary to clarify the significance of results.

Genes may be added or removed based on updated clinical relevance. Please refer to the Targeted Genes and Methodology Details for the Dilated Cardiomyopathy/LVNC Panel in the Special Instructions section of the Test Catalog for the most up to date list of genes included in this test.

Reclassification of Variants Policy

See www.mayocliniclabs.com

(TEST ID DCLNG) for information regarding the laboratory's policy for reclassification of variants.

Variant Evaluation

Variant curation is performed using published ACMG-AMP recommendations as a guideline. Other gene-specific guidelines may also be considered. Variants classified as benign or likely benign are not reported.

Results from in silico evaluation tools may change over time and should be interpreted with caution and professional clinical judgment.

Released By

MCR

Linnea M. Baudhuin, Ph.D.

Received: 20 Sep 2022 14:52

Reported: 23 Sep 2022 21:35

Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292