



Patient ID SA00178002	Patient Name SAMPLEREPORT, TXPAB NORMAL	Birth Date 1981-08-06	Sex M	Age 44
Order Number SA00178002	Client Order Number SA00178002	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 02 Nov 2025 00:01		

Toxoplasma Ab, IgM and IgG, S

Toxoplasma Ab, IgM, S

Negative

Negative for T. gondii IgM. False negative results may occur in immunocompromised patients or if testing is performed within 1–2 weeks of initial exposure. Repeat testing should be considered if clinically indicated.

SDL
Reference Value
Negative

Toxoplasma Ab, IgG, S

Negative

Negative for T. gondii IgG. False negative results may occur in immunocompromised patients or if testing is performed within 1–2 weeks of initial exposure. Repeat testing should be considered if clinically indicated.

SDL
Reference Value
Negative

Toxoplasma IgG Value

0.3 IU/mL

REFERENCE VALUE
<1 IU/mL (Negative)
≥1 - <3 IU/mL (Borderline)
≥3 IU/mL (Positive)

SDL

Received: 02 Nov 2025 19:59 Reported: 02 Nov 2025 20:08

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55905	Nikola Baumann Ph.D.	24D1040592