

Patient ID <b>SA00130459</b>	Patient Name <b>SAMPLEREPORT, FMMPP A</b>	Birth Date <b>1970-11-09</b>	Gender <b>M</b>	Age <b>49</b>
Order Number <b>SA00130459</b>	Client Order Number <b>SA00130459</b>	Ordering Physician <b>CLIENT, CLIENT</b>	Report Notes	
Account Information <b>C7028846 DLMP Rochester</b>		Collected <b>05 Jul 2020 14:58</b>		

## MyoMarker 3 Plus Profile

### Anti-Jo-1 Ab

 **35 Units**  
**High**

Y036  
Reference Value  
<20


### Anti-PL-7 Ab

 Moderate Positive  
**Abn**

Y036  
Reference Value  
Negative

This test was developed and its performance characteristics determined by LabCorp. It has not been cleared or approved by the Food and Drug Administration.

### Anti-PL-12 Ab

 Moderate Positive  
**Abn**

Y036  
Reference Value  
Negative

This test was developed and its performance characteristics determined by LabCorp. It has not been cleared or approved by the Food and Drug Administration.

### Anti-EJ Ab

 Weak Positive  
**Abn**

Y036  
Reference Value  
Negative

This test was developed and its performance characteristics determined by LabCorp. It has not been cleared or approved by the Food and Drug Administration.

### Anti-OJ Ab

 Strong Positive  
**Abn**

Y036  
Reference Value  
Negative

This test was developed and its performance characteristics determined by LabCorp. It has not been cleared or approved by the Food and Drug Administration.


### Anti-SRP Ab

 Weak Positive  
**Abn**

Y036  
Reference Value  
Negative

This test was developed and its performance characteristics determined by LabCorp. It has not been cleared or approved by the Food and Drug Administration.

### Anti-Mi-2-Ab

 Moderate Positive  
**Abn**

Y036  
Reference Value  
Negative

This test was developed and its performance characteristics determined by LabCorp. It has not been cleared or approved by the Food and Drug Administration.

### Anti-TIF-1gamma Ab

 **41 Units**  
**High**

Y036  
Reference Value  
<20

This test was developed and its performance characteristics determined by LabCorp. It has not been cleared or approved by the Food and Drug Administration.

### Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
Y036	Esoterix Endocrinology	4301 Lost Hills Road, Calabasas Hills, CA 91301		

Patient ID <b>SA00130459</b>	Patient Name <b>SAMPLEREPORT, FMMPP A</b>	Birth Date <b>1970-11-09</b>	Gender <b>M</b>	Age <b>49</b>
Order Number <b>SA00130459</b>	Client Order Number <b>SA00130459</b>	Ordering Physician <b>CLIENT, CLIENT</b>	Report Notes	
Account Information <b>C7028846 DLMP Rochester</b>		Collected <b>05 Jul 2020 14:58</b>		

**Anti-MDA-5 Ab (CADM-140)**

Y036

 **35 Units**  
High

Reference Value  
<20

This test was developed and its performance characteristics determined by LabCorp. It has not been cleared or approved by the Food and Drug Administration.

**Anti-NXP-2 (P140) Ab**

Y036

 **77 Units**  
High

Reference Value  
<20

This test was developed and its performance characteristics determined by LabCorp. It has not been cleared or approved by the Food and Drug Administration.

**Anti-SAE1 Ab, IgG**

Y036

 **61 Units**  
High

Reference Value  
<20

This test was developed and its performance characteristics determined by LabCorp. It has not been cleared or approved by the Food and Drug Administration.

**Anti-PM/Sci-100 Ab**

Y036

 **32 Units**  
High

Reference Value  
<20

This test was developed and its performance characteristics determined by LabCorp. It has not been cleared or approved by the Food and Drug Administration.

**Anti-Ku Ab**

Y036

 **Strong Positive**  
Abn

Reference Value  
Negative

This test was developed and its performance characteristics determined by LabCorp. It has not been cleared or approved by the Food and Drug Administration.

**Anti-SS-A 52kD Ab, IgG**

Y036

 **44 Units**  
High

Reference Value  
<20

This test was developed and its performance characteristics determined by LabCorp. It has not been cleared or approved by the Food and Drug Administration.

**Anti-U1 RNP Ab**

Y036


 **69 Units**  
High

Reference Value  
<20

This test was developed and its performance characteristics determined by LabCorp. It has not been cleared or approved by the Food and Drug Administration.

**Anti-U2 RNP Ab**

Y036

 **Strong Positive**  
Abn

Reference Value  
Negative

This test was developed and its performance characteristics determined by LabCorp. It has not been cleared or approved by the Food and Drug Administration.

**Performing Site Legend**

Code	Laboratory	Address	Lab Director	CLIA Certificate
Y036	Esoterix Endocrinology	4301 Lost Hills Road, Calabasas Hills, CA 91301		

Patient ID <b>SA00130459</b>	Patient Name <b>SAMPLEREPORT, FMMPP A</b>	Birth Date <b>1970-11-09</b>	Gender <b>M</b>	Age <b>49</b>
Order Number <b>SA00130459</b>	Client Order Number <b>SA00130459</b>	Ordering Physician <b>CLIENT, CLIENT</b>	Report Notes	
Account Information <b>C7028846 DLMP Rochester</b>		Collected <b>05 Jul 2020 14:58</b>		

**Anti-U3 RNP (Fibrillarin)**


Moderate Positive

Y036

**Reference Value**  
Negative

This test was developed and its performance characteristics determined by LabCorp. It has not been cleared or approved by the Food and Drug Administration.

Interpretation for Anti-Jo-1, Anti-TIF-1gamma, Anti-MDA-5, Anti-NXP-2, Anti-SAE1, Anti-PM/Scl-100, Anti-SS-A 52 kD, Anti-U1 RNP:

Negative:	<20
Weak Positive:	20 - 39
Moderate Positive:	40 - 80
Strong Positive:	>80

Received: 06 Jul 2020 07:44

Reported: 08 Jul 2020 20:26

**Performing Site Legend**

Code	Laboratory	Address	Lab Director	CLIA Certificate
Y036	Esoterix Endocrinology	4301 Lost Hills Road, Calabasas Hills, CA 91301		