MAYO CLINIC LABORATORIES

1-800-533-1710

THSIF

Thrombospondin Type 1 Domain Containing 7A (THSD7A), Immunofluorescence

Patient ID	Patient Name		Birth Date	Gender	Age
321	TESTRNV, IMPLEMENTATION		2008-06-06	F	12
Order Number	**Client Order Number**	**Ordering Physician**	**Report Notes**		
X100338443	X100338443	CLIENT,CLIENT			
Account Information		**Collected**			
C7028846 DLMP Rochester		15 Dec 2020 06:00			

THSD7A Immunofluorescence

Case Number CR-20-1638

Interpretation

MCR

FINAL DIAGNOSIS

THSD7a was performed and is negative.

Material Received

MCR

A. S20–489: Testing
5 unstained slides, 1 block

Report electronically signed by

MCR

KIMBERLY POHLEN

I verify that I have examined all relevant slides/materials for the specimen(s) and rendered or confirmed the diagnosis.

Disclaimer

MCR

This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Received: 31 Dec 2020 09:08

Reported: 31 Dec 2020 10:09

Test Environment PATHDX Template

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292