



Patient ID <b>SA00106812</b>	Patient Name <b>SAMPLEREPORT, 25HDN ABN</b>	Birth Date <b>1986-06-10</b>	Gender <b>F</b>	Age <b>31</b>
Order Number <b>SA00106812</b>	Client Order Number <b>SA00106812</b>	Ordering Physician <b>CLIENT, CLIENT</b>	Report Notes	
Account Information <b>C7028846 DLMP Rochester</b>		Collected <b>21 May 2018 00:00</b>		

## 25-Hydroxyvitamin D2 and D3, S

### 25-Hydroxy D2

48 ng/mL

SDL

### 25-Hydroxy D3

42 ng/mL

SDL

### 25-Hydroxy D Total

1 SDL



90 ng/mL

High

Interpretation: >80 ng/mL (toxicity possible)

#### REFERENCE VALUE

25-HYDROXY D TOTAL (D2+D3) Optimum levels in the healthy population are 20–50, patients with bone disease may benefit from higher levels within this range.

Received: 22 May 2018 11:00

Reported: 22 May 2018 11:01

### Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

### Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592