MAYO CLINIC LABORATORIES

1-800-533-1710

HIBC

Histoplasma/Blastomyces Panel, Spinal Fluid

Patient ID	Patient Name		Birth Date	Sex	Age
SA00167346	TESTING, HIBC_NORMAL		2001-01-01	F	23
Order Number	**Client Order Number**	**Ordering Physician**	**Report Notes**		
SA00167346	SA00167346	CLIENT,CLIENT			
Account Information		**Collected**			
C7028846 DLMP Rochester		25 Mar 2024 12:10			

Histoplasma/Blastomyces Panel,CSF

Histoplasma Ab CompFix/ImmDiff, CSF

Histoplasma Yeast CompFix, CSF

SDL

Negative

Reference Value
Negative

Histoplasma Immunodiffusion, CSF

SDL

Negative

Reference Value
Negative

A negative complement fixation and immunodiffusion (CF/ID) result does not exclude recent infection with Histoplasma.

Blastomyces Ab Immunodiffusion, CSF

Blastomyces Immunodiffusion (CSF)

SDL

Negative

Reference Value
Negative

A single negative immunodiffusion (ID) result does not exclude recent infection with blastomycosis.

Received: 26 Mar 2024 13:16 **Reported:** 26 Mar 2024 13:21

Test Environment Standard Template

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55905	William G. Morice M.D. Ph.D.	24D1040592