

Patient ID SA00175303	Patient Name SAMPLEREPORT, FVZGC	Birth Date 2000-06-07	Sex M	Age 24
Order Number SA00175303	Client Order Number SA00175303	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 20 Apr 2025 13:30		

VZV Antibody IgG CSF

4.50 S/CO
Y006
Reference Value
≤0.99

INTERPRETIVE INFORMATION: VZV Ab, IgG, CSF
≤0.99 S/CO: Negative - No significant level of detectable varicella-zoster IgG antibody.
≥1.00 S/CO: Positive - IgG antibody to varicella-zoster detected, which may indicate a current or past

varicella-zoster infection.

The detection of antibodies to varicella-zoster in CSF may indicate central nervous system infection. However, consideration must be given to possible contamination by blood or transfer of serum antibodies across the blood-brain barrier.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Received: 21 Apr 2025 09:33

Reported: 21 Apr 2025 12:48

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
Y006	ARUP Laboratories	500 Chipeta Way, Salt Lake City, UT 84108		