MAYO CLINIC
LABORATORIES

1-800-533-1710

FGLUT
Gluten IgG

Patient ID	Patient Name		Birth Date	Sex	Age
SA00173485	SAMPLEREPORT, FGLUT		2003-12-19	F	21
Order Number	**Client Order Number**	**Ordering Physician**	**Report Notes**		
SA00173485	SA00173485	CLIENT,CLIENT			
Account Information		**Collected**			
C7028846 DLMP Rochester		24 Dec 2024 14:50			

Gluten IgG

Y165

10.6 mcg/mL

Reference ranges have not been established for food-specific IgG tests. The clinical utility of food-specific IgG tests has not been established. These tests can be used in special clinical situations to select foods for evaluation by diet elimination and challenge in patients who have food-related complaints. It should be recognized that the presence of food-specific IgG alone cannot be taken as evidence of food allergy and only indicates immunologic sensitization by the food allergen in question. This test should only be ordered by physicians who recognize the limitations of the test. *This test was developed and its performance characteristics determined by Eurofins Viracor. It has not been cleared or approved by the U.S. Food and Drug Administration.

FLAG Interpretation: A = Abnormal, H = High, L = Low

Received: 27 Dec 2024 10:29 **Reported:** 27 Dec 2024 14:56

Test Environment
LTCSEQ Template

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
Y165	Eurofins Viracor	18000 W. 99th Street, Suite 10, Lenexa, KS 66219		